





Revision Date: 10/06/2003 **Issue date:** 10/14/2003

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: DURO(TM)ALUMINUM JELLY(R) CORROSION Item number: 80270

REMOVEŔ

Product type: Rust Dissolver

Company address: Henkel Loctite Corporation 1001 Trout Brook Crossing Rocky Hill, Connecticut 06067 **Region:** United States

Contact Information: Telephone: 860.571.5100

Emergency telephone: 860.571.5100

Internet: www.loctite.com

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components Phosphoric acid 7664-38-2	<u>%</u> 10-30	ACGIH TLV 1 mg/m³ TWA 3 mg/m³ STEL	OSHA PEL 1 mg/m³ TWA	OTHER None
Diethyleneglycol monoethyl ether 111-90-0	1-5	None	None	None
Nonionic surfactant	1-5	None	None	None
Isopropyl alcohol 67-63-0	1-5	400 ppm TWA 500 ppm STEL	400 ppm TWA 980 mg/m³ TWA	None
Polysaccharide	1-5	None	None	None
Sulfuric acid 7664-93-9	0.1-1	1 mg/m³ TWA 3 mg/m³ STEL	1 mg/m³ TWA	None

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

HMIS:

 Physical state:
 Liquid
 HEALTH:
 1

 Color:
 Blue
 FLAMMABILITY:
 0

 Odor:
 Grape
 PHYSICAL HAZARD:
 0

Personal Protection: See Section 8

CAUTION: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

MAY BE HARMFUL IF SWALLOWED.

Relevant routes of exposure: Eye contact, Skin contact, Inhalation, Ingestion

Potential Health Effects

Inhalation: May cause respiratory tract irritation. Prolonged inhalation of large concentrations can be irritating to

lungs, and mucous membranes of nose and throat.

Skin contact:May cause skin irritation.Eye contact:May cause irritation.Ingestion:May be harmful if swallowed.

Item number: 80270 Product name: DURO(TM)ALUMINUM JELLY(R) CORROSION REMOVER

Existing conditions aggravated by exposure:

Respiratory disorders.

See Section 11 for additional toxicological information.

4. FIRST AID MEASURES

Inhalation: Remove to fresh air. If discomfort persists seek medical attention.

Skin contact: Immediately flush skin with plenty of water (using soap, if available). If symptoms persist, obtain

medical attention.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.

5. FIRE-FIGHTING MEASURES

Flash point: None.

Autoignition temperature: Not applicable

Flammable/Explosive limits-lower %: Not applicable

Flammable/Explosive limits-upper %: Not applicable

Extinguishing media: Foam, dry chemical or carbon dioxide.

Special fire fighting procedures: None

Unusual fire or explosion hazards: Not flammable, however Hydrogen gas may be liberated if product contacts powdered metals or

metals above 185°F.

Hazardous combustion products: None known.

6. ACCIDENTAL RELEASE MEASURES

Environmental precautions: Prevent product from entering drains or open waters.

Clean-up methods: Ensure adequate ventilation. Neutralize acid using lime or a lime based agent compatible with the

product. Soak up with inert absorbent. Flush with water. Store in a closed container until ready for

disposal.

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapor and mist. Wash thoroughly after

handling.

Storage: Keep from freezing.

Incompatible products: Caustics. Powdered metals.

For information on product shelf life contact Henkel Loctite Customer Service at (800) 243-4874.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Item number: 80270 Product name: DURO(TM)ALUMINUM JELLY(R) CORROSION REMOVER

Engineering controls: General ventilation is acceptable if the exposure to materials in section 2 is maintained below

applicable exposure limits. Refer to OSHA standards 1910.94, 1910.107, 1910.108

Respiratory protection: Not normally required.

Skin protection: Disposable rubber or plastic gloves.

Eye/face protection: Safety goggles or safety glasses with side shields.

See Section 2 for exposure limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Blue Odor: Grape Vapor pressure: Low

pH: 1.5 - 2.5

Boiling point/range: Approximately 100°C (212°F) Melting point/range: Not applicable

Specific gravity: 1.05

Vapor density: Not available Not available **Evaporation rate:** Solubility in water: Soluble Not available Partition coefficient (n-octanol/water):

VOC content: 2.23%; 23.73 grams/liter

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur.

Hazardous decomposition products: Hydrogen, by reaction with metals

Incompatability: Powdered metals. Caustics.

Conditions to avoid: Storage with incompatible materials.

11. TOXICOLOGICAL INFORMATION

Carcinogen Status

Hazardous components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Phosphoric acid	No	No	No
Diethyleneglycol monoethyl ether	No	No	No
Nonionic surfactant	No	No	No
Isopropyl alcohol	No	No	No
Polysaccharide	No	No	No
Sulfuric acid	No	Group 1	Yes

Literature Referenced Target Organ & Other Health Effects

Hazardous components	Health Effects/Target Organs		
Phosphoric acid	Corrosive, Irritant		
Diethyleneglycol monoethyl ether	Blood, Central nervous system, Irritant, Kidney		
Nonionic surfactant	Allergen, Irritant		
Isopropyl alcohol	Allergen, Blood, Central nervous system, Irritant, Kidney, Liver, Brain, Spleen		
Polysaccharide	Irritant		
Sulfuric acid	Corrosive, Irritant, Lung, Human carcinogen		

Product name: DURO(TM)ALUMINUM JELLY(R) CORROSION REMOVER Item number: 80270

12. ECOLOGICAL INFORMATION

Ecological information: Not available

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of according to Federal, State and local governmental regulations.

EPA hazardous waste number: Not a RCRA hazardous waste. Waste must be tested to determine the applicable EPA hazardous

waste numbers.

14. TRANSPORT INFORMATION

The shipping classifications in this section are for non-bulk packaging only (unless otherwise specified). Shipping classiciation may be different for bulk packaging.

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid)

Hazard class or division: 8
Identification number: UN 3264
Packing group: III

Exceptions: (Not more than 4L) Consumer Commodity ORM-D

Marine pollutant: None

International Air Transportation (ICAO/IATA):

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid)

Hazard class or division: 8
Identification number: UN 3264
Packing group: III

WaterTransportation (IMO/IMDG):

Proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid)

Hazard class or division: 8
Identification number: UN 3264
Packing group: III
Marine pollutant: None

15. REGULATORY INFORMATION

<u>United States Regulatory Information</u>

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

TSCA 5 (a) (2) SNUR: None.

TSCA 12 (b) Export Notification: Amyl acetate (CAS# 628-63-7).

CERCLA/SARA Section 302 EHS: None.

CERCLA/SARA Section 311/312: Immediate Health Hazard

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting requirements of section

313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). Isopropyl

alcohol (CAS# 67-63-0). Diethyleneglycol monoethyl ether (CAS# 111-90-0).

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Domestic Substances List.

WHMIS hazard class: D.2.A, D.2.B, E

Item number: 80270 Product name: DURO(TM)ALUMINUM JELLY(R) CORROSION REMOVER

4 of 5

16. OTHER INFORMATION

This material safety data sheet contains changes from the previous version in sections: New Material Safety Data Sheet format.

Prepared by:

Rajal Dhruva, Health and Regulatory Affairs Specialist

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Loctite Corporation does not assume responsibility for any results obtained by persons over whose methods Henkel Loctite Corporation has no control. It is the user's responsibility to determine the suitability of Henkel Loctite's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Loctite Corporation's products. In light of the foregoing, Henkel Loctite Corporation specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Loctite Corporation's products. Henkel Loctite Corporation further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Item number: 80270 Product name: DURO(TM)ALUMINUM JELLY(R) CORROSION REMOVER