Health Officer: Adeline Hambley

FOOD SERVICE INSPECTION REPORT

LICENSE NO: SFE 4170048246 ESTABLISHMENT: SPRINGVIEW/EVERGREEN ELEMENTA ADDRESS: 10690 LEARNING LN , ALLENDALE, MI 49401 PERSON-IN-CHARGE: HEIDI INSPECTION TYPE: ROUTINE INSPECTION DATE: 05/18/2023 RESULT: NO FOLLOW UP REQUIRED ENFORCEMENT: NO ENFORCEMENT NEEDED

Complete violation descriptions from the 2009 FDA Food Code can be viewed online, select language: english españo In the event of an emergency (E.g. power outage, water service problems, sewage, fire, flood) close establishment and contact OCDPH prior to re-opening. For plans that may be followed to re-open after approval is received CLICK HERE

INSPECTION VIOLATIONS

NO NEW VIOLATIONS CITED TODAY. OPEN VIOLATIONS MAY STILL EXIST FROM PAST REPORTS.

OVERALL INSPECTION COMMENTS

The establishment is in substantial compliance with act 92 of 2000, as amended, at the time of the inspection. No violations observed.

For questions, please contact Jessica Behringer at 616.393.5784 or jbehringer@miottawa.org

CERTIFIED PROFESSIONALS						
Certified Manager	Туре	Certificate Number	Expiration			
Heidi Bosch	SERVSAFE	19729871	8/25/25			

SIGNATURES

Based on an evaluation this day, the items marked above are violations of the Michigan Food Law. Violations cited in this report shall be corrected within the timeframes specified, but within a period not to exceed 10 calendar days for priority or priority foundation items (§8-401.11) or 90 days for core items (§8-406.11). Failure to comply with this notice may result in license suspension and/or other legal action. You have the right to appeal any violations listed.

Jeas Behringer, REHS

Report generated in office and emailed, no signature

JESSICA BEHRINGER

FILE REVIEW

Date	Service	Environmental Health Specialist Initials	Priority and Priority foundation Violations	4-501.11 - 4-501.11(A) [c]
3/14/18	ROU	KA	0	
10/16/18	ROU	MM	0	С
3/29/19	ROU	KH	0	
5/17/19	CON	KH	0	
9/17/19	ROU	KH	0	
3/29/21	ROU	KH	0	
10/26/21	ROU	KH	0	
11/2/22	ROU	JB	0	
5/18/23	ROU	JB	0	

ESTABLISHMENT: SPRINGVIEW/EVERGREEN ELEMENTARY **LICENSE NO:** SFE 4170048246